

JX2.5/2



connectwell
THE RIGHT CONNECTION

Alternate Shorting Link

Alternate type links are available for cross connection in Spring Clamp Terminal Blocks. The links need to be inserted into the rectangular slots provided in the current bar of the Terminal Block.

Especificações

Corrente Nominal 24 A

DADOS PARA PEDIDO

CÓDIGO	Descrição	Embal. Padrão
JX2.5/2	Shorting Link for 2.5 sq mm series	100
JX2.5/3	Shorting Link for 2.5 sq mm series	50
JX2.5/4	Shorting Link for 2.5 sq mm series	50
JX2.5/5	Shorting Link for 2.5 sq mm series	50
JX2.5/6	Shorting Link for 2.5 sq mm series	50
JX2.5/7	Shorting Link for 2.5 sq mm series	10
JX2.5/8	Shorting Link for 2.5 sq mm series	10
JX2.5/10	Shorting Link for 2.5 sq mm series	10

ADEQUADO PARA

CX2.5/1B	2.5 sq.mm pluggable feed through Spring Clamp Terminal Block
CXDL2.5	2.5 sq.mm Double Level Spring Clamp Terminal Blocks
CXDL2.5(E)DD4	2.5 sq.mm Terminal Blocks with diode circuit - DD4 configuration
CXDLG2.5(I.S)	2.5 sq.mm Multiple Connection Earthing Terminal Blocks with 4 connection points.
CXG2.5	2.5 sq.mm feed Through Ground/Earth Spring Clamp Terminal Blocks
CXG2.5/3	2.5 sq.mm Ground/Earth Spring Clamp Terminal Blocks
CXMG2.5	2.5 sq.mm feed Through Ground/Earth Spring Clamp Terminal Blocks
CXSG2.5	2.5 sq.mm feed Through Ground/Earth Spring Clamp Terminal Blocks
CP2.5/4	Conector 2.5 mm2 de passagem direta Push In.
CPDLKFT2.5(I.S)	2.5 sq.mm knife disconnecting Push in double level compact Terminal block.
CPG2.5	2.5 sq.mm Ground/Earth Push in Terminal Blocks
ODL2.5A	2.5 sq.mm 2 Level Offset stackable type Terminal Block in Grey colour
CX2.5	2.5 sq.mm Spring Clamp Feed Through compact Terminal Blocks
CX2.5/4	2.5 sq.mm Spring Clamp Feed Through compact Terminal Blocks
CXDL2.5(E)D1	2.5 sq.mm Terminal Blocks with diode circuit - D1 configuration
CXDL2.5(E)DD3	2.5 sq.mm Terminal Blocks with diode circuit - DD3 configuration
CXDL2.5(E)LD2	2.5 sq.mm Double Level Terminal Blocks with LED indication -LD2 Configuration
CXDL2.5(E)TS1	2.5 sq.mm Double Level Terminal Blocks with Temperature Sensor indication - TS1 Configuration
CXG2.5/4	2.5 sq.mm Ground/Earth Spring Clamp Terminal Blocks
CXK2.5/4	2.5 sq.mm Spring Clamp knife disconnecting compact Terminal Blocks

JX2.5/2



connectwell
THE RIGHT CONNECTION

ADEQUADO PARA

ADEQUADO PARA	
CP2.5	CP2.5, conector push in, é um conector de passagem direta compacto.
CP2.5/3	Conector de passagem direta 2.5 mm2 para 3 fios Push In.
CPDLG2.5(I.S)	Conector para 2.5 mm2 duplo com 4 terminais interligados internamente, com Terminal Terra.
CPDLKFT2.5	2.5 sq.mm knife disconnecting + feedthrough Push in double level compact Terminal block.
CPG2.5/3	2.5 sq.mm Ground/Earth Push in Terminal Blocks
CPG2.5/4	2.5 sq.mm Ground/Earth Push in Terminal Blocks
CX2.5/3	2.5 sq.mm Spring Clamp Feed Through compact Terminal Blocks
CXDL2.5(E)D2	2.5 sq.mm Terminal Blocks with diode circuit - D2 configuration
CXDL2.5(E)DD2	2.5 sq.mm Terminal Blocks with diode circuit - DD2 configuration
CXK2.5	2.5 sq.mm Spring Clamp knife disconnecting compact Terminal Blocks
CXM2.5	2.5 sq. mm spring clamp Panel Mount Terminal Blocks.
CPDLG2.5	Conector para 2.5 mm2 Duplo com Terminal Terra.
CPDLK2.5	2.5 sq.mm knife disconnecting Push in double level compact Terminal block.
CPDLK2.5(I.S)	2.5 sq.mm knife disconnecting Push in double level internally shorted compact Terminal block.
ODL2.5	2.5 sq.mm Offset Double Level Terminal Blocks.
ODL2.5A(I.S)	2.5 sq.mm 2 Level Offset internally shorted stackable type Terminal Block in Grey colour
ODLG2.5	2.5 sq.mm offset Double Level Earthing Terminal Blocks.
ODLG2.5(I.S)	2.5 sq.mm offset internally Double Level Earthing Terminal Blocks.
ODLG2.5A	2.5 sq.mm offset stackable Double Level Earthing Terminal Blocks.
CX2.5/4(E)D1	CX2.5/4(E)D1 : 2.5 sq.mm Terminal Blocks with diode circuit - D1 configuration
CXDL2.5(E)D3	2.5 sq.mm Terminal Blocks with diode circuit - D3 configuration
CXDL2.5(E)DD1	2.5 sq.mm Terminal Blocks with diode circuit - DD1 configuration
CXDL2.5(E)LD1	2.5 sq.mm Double Level Terminal Blocks with LED indication -LD1 Configuration
CXDL2.5(I.S)	2.5 sq.mm Multiple Connection Earthing Terminal Blocks with 4 connection points.
CXDLG2.5	2.5 sq.mm Double Level Earthing Terminal Blocks.
CXG2.5/1B	2.5 sq.mm Ground/Earth Spring Clamp Terminal Blocks
CXS2.5	2.5 sq.mm Spring Clamp Feed Through Side Entry Terminal Blocks
CYF4	4 sq.mm Single Level Fuse Terminal Blocks with push in Jumper possibility
CPDL2.5	Conector para 2.5 mm2 duplo Push-In.
CPDL2.5(I.S)	Conector para 2.5 mm2 duplo com 4 terminais interligado internamente Push In.
ODL2.5(I.S)	2.5 sq.mm offset double Level Internally Shorted Terminal Blocks.

JX2.5/2



connectwell
THE RIGHT CONNECTION

ADEQUADO PARA

ODLG2.5A(1.S)

2.5 sq.mm offset stackable Double Level Earthing Terminal Blocks.