



# Detailed information for: CE4T-10R-11

This page contains technical data sheet, documents library and links to offering related to this product. If you require any other information, please contact us using form located at the bottom of the page.

# CE4T-10R-11

## General Information

<b>Extended Product Type:</b>	CE4T-10R-11
<b>Product ID:</b>	1SFA619550R1071
<b>EAN:</b>	7320500260838
<b>Catalog Description:</b>	EMERGENCY STOP#CE4T-10R-11
<b>Long Description:</b>	Compact Emergency Stop - Twist release - Mushroom 40mm - Red - Non-illuminated - Black plastic - 1NO+1NC

## Categories

Products » Low Voltage Products and Systems » Control Products » Pilot Devices » Pilot Devices - Compact Range

## Ordering

<b>EAN:</b>	7320500260838
<b>Minimum Order Quantity:</b>	1 piece
<b>Customs Tariff Number:</b>	85369001

## Dimensions

<b>Product Net Width:</b>	0.030 m
<b>Product Net Height:</b>	0.040 m
<b>Product Net Depth:</b>	0.073 m
<b>Product Net Weight:</b>	0.036 kg

## Container Information

<b>Package Level 1 Units:</b>	10 piece
<b>Package Level 1 Width:</b>	0.1 m
<b>Package Level 1 Height:</b>	0.04 m
<b>Package Level 1 Length:</b>	0.1 m
<b>Package Level 1 Gross Weight:</b>	0.036 kg

## Environmental

<b>Ambient Air Temperature:</b>	Storage -30 ... +85 °C Operation -25 ... +70 °C
<b>RoHS Status:</b>	Following EU Directive 2002/95/EC August 18, 2005 and amendment

## Additional Information

<b>Actuator Type:</b>	Mushroom 40mm
<b>Bezel Material:</b>	n/a
<b>Block:</b>	1NO+1NC
<b>Color:</b>	Red
<b>Degree of Protection:</b>	Front IP69K Terminals IP20
<b>Function:</b>	Twist release
<b>Illumination:</b>	Non-illuminated

<b>Mechanical Durability:</b>	0.5 million
<b>Number of Auxiliary Contacts NC:</b>	1
<b>Number of Auxiliary Contacts NO:</b>	1
<b>Product Main Type:</b>	CE4T
<b>Product Name:</b>	Emergency Stop
<b>Product Range:</b>	Compact
<b>Product Type:</b>	CE
<b>Rated Frequency (f):</b>	Supply Circuit 50 Hz Supply Circuit 60 Hz
<b>Rated Operational Current AC-15 (I<sub>e</sub>):</b>	(24 / 127 V) 1.5 A (220 / 240 V) 1 A
<b>Rated Operational Current DC-13 (I<sub>e</sub>):</b>	(24 V) 0.3 A (125 V) 0.2 A
<b>RoHS Date:</b>	0626 5

### Certificates and Declarations (Document Number)

**Data Sheet, Technical Information:** [1SFC151005C0201](#)

**Declaration of Conformity - CE:** [1SFA1-82](#)

**Environmental Information:** [1SFC151009D0201](#)

**Instructions and Manuals:** [1SFC151005C0201](#)

**RoHS Information:** [1SFC151012D0202](#)

### Classifications

<b>E-nummer:</b>	3711520
<b>ETIM 4:</b>	EC002024 - Accessories for control circuit devices
<b>ETIM 5:</b>	EC002034 - Emergency stop complete
<b>ETIM 6:</b>	EC002034 - Emergency stop complete
<b>Object Classification Code:</b>	S
<b>UNSPSC:</b>	39121500



